

**Section 18.0 of the Rules and Regulations for the Board of Professional Land Surveyors (seal enlarged to show detail):**

A complete listing of the Rules and Regulations can be found by going to [www.dpr.delaware.gov](http://www.dpr.delaware.gov) and clicking Land Surveyors

**Professional Seals, Rubber Stamps and Signatures**

**18.0 Professional Seals, Rubber Stamps and Signatures**

18.1 A raised seal shall be used wherever possible.

18.2 When a raised seal cannot be used, a rubber seal may be used, but only with red ink so that the lettering will stand out.

18.3 The signature must be originally hand written.

18.4 The seal to be used by a Delaware licensee shall conform to the above regulation and have two concentric circles. The inner circle shall contain only the words "REGISTERED," "NO.," and "DELAWARE." The area between the two circles shall contain, at the bottom, the words "PROFESSIONAL LAND SURVEYOR" reading counterclockwise and at the top, the name of the licensee as written below, reading clockwise.

18.5 The seal acceptable to the Board is the one recognized in the trade as the No. 1 official pocket size, which has an inner circle 1" in diameter and an outer circle 1 ½" in diameter. A sample is below. Replace JOHN DOE AND No. 123 with your name and number.



18.6 All new licensees shall provide to the Board a copy of both the raised and rubber seal within 30 days of issuance of their license.